



# DEF Dispensing Systems

Solutions for Clean Diesel Exhaust Fluid Transfer



PROVEN QUALITY. LEADING TECHNOLOGY.

# Clean. Fast. Efficient.

Choose from more configurations to get exactly what you need for your business.



## Why Graco?

### Value built-in

Choose from a variety of dispense solutions. From the economical drum package to the high-performance tote packages, every solution is designed with the highest quality components for trouble free operation. Uses long lasting BSPP seals for fewer leaks and a clean work environment. Field-proven pump provides years of reliable operation.

### Efficient, money saving operation

Versatile Husky 515 pump delivers up to 15 gpm (57 lpm) works on as little as 20 psi (1.4 bar) for money saving efficiency and is capable of 50 psi (3.4 bar) to provide high output over a long run of hose or piping. Powerful design has superior suction and lift for deep tanks or totes. Choose the best of both in one pump—power plus efficiency.

### Clean transfer solution

Quick change inlet kit provides strong seal between drum coupler and insert to prevent tank to tank contamination—easy to disconnect pump from empty tank leaving behind contaminated down tube.

### Everything you need right out of the box

A cost-effective system designed to serve multiple markets and applications. Choose from three configurations to fit your needs.

The complete package—everything you need to get up and running fast.

All packages come with quick changeover inlet kit, air controls, air-operated double diaphragm pump, supply hose and auto shut-off nozzle. Simple bolt together assembly with no special tools.

### Tote Mount



### Wall Mount



### Drum Mount



*Note: In-line meter is optional. Check ordering information for the package that best fits your needs.*

## Gives you trouble-free operation

Graco's complete out of the box solutions use the field-proven Husky 515 pump and high quality components with stainless steel connections at the inlet and outlet, optional meter and choice of nozzles for your specific needs. DEF is 32.5% high purity urea. Fluid purity is critical and contamination of as little as +/- .08 percent will prevent DEF from meeting specifications mandated by the International Standards Organization (ISO). Graco's DEF equipment is designed for fast drum/tote change overs without risk of transferring impurities from tank to tank.



### Standard Air Control

Comes complete with pressure gauge and air adjustment for total control over your fluid dispense. (Air nipple not included)

### Choice of Nozzle

High-impact polypropylene nozzle offers dependable operation at a low cost. Heavy-duty stainless steel dispense nozzle (shown at left) has convenient auto shut-off to prevent overflow.

### Quick Changeover Inlet Kit

Provides strong seal and prevents tank to tank contamination—easy to disconnect pump from empty tank leaving behind contaminated down tube.

### Dependable Field-proven Pump

The Husky 515 double diaphragm pump (15 gpm free flow) is self priming and operates on as little as 20 psi (1.4 bar) with polypropylene materials that will not interact with the DEF chemistry. Provides superior suction and lift for deep totes or tanks.

### Premium Hoses

Oil resistant hose extends life and BSPP connections with seals on inlet and outlet provide trouble free performance—eliminates leaking at joints and prevents crystallization.

### Quick-secure Bracket

Easily removable with simple thumb screws for effortless changeovers.





## AMERICAS

### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88 -11th Avenue N.E.  
Minneapolis, MN 55413

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000 Fax: 612-623-6777

## EUROPE

### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700 Fax: 32 89 770 777

## ASIA PACIFIC

### AUSTRALIA

Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Building 7  
1029 Zhongshan Road South,  
Huangpu District  
Shanghai, 200011  
The People's Republic of China  
Tel: 86 21 649 50088 Fax: 86 21 649 50077

### INDIA


Graco Hong Kong Ltd.  
India Liaison Office  
Room 443, Augusta Point  
Regus Business Centre 53  
Golf Course Road  
Gurgaon, Haryana  
India 122001  
Tel: 91 124 435 4208 Fax: 91 124 435 4001

### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300 Fax: 81 45 593 7301

### KOREA

Graco Korea Inc.  
Shinhan Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-si, Korea 431-060  
Tel: 82 31 476 9400 Fax: 82 31 476 9801



# Graco's got you covered

## Facilities Worldwide for Global Support



### Quality First

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your lubrication challenges.



### Global Reach

Graco's has facilities across the globe to provide you with the products and service *you* need, where *you* live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.



### Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!

Call **800-533-9655** to speak with a Graco representative,  
or visit **www.graco.com** for more information.

