

# SD Series™ Cord and Light Reels

Engineered Solutions to Help you Work Smarter and Faster



## Quality Cord and Light Reels

Organize your work space for a safer, more productive work environment. Make Graco your single source for your entire reel bank.



PROVEN QUALITY. LEADING TECHNOLOGY.

### ***Durable Frame in Two Sizes***

Choose from the heavy-duty steel construction of the SD Series size 5 or 10. Provides options for fitting into tight spaces and has a durable finish for corrosion protection and long life.

### ***Multiple Cord Lengths***

Meets Graco's high quality standards to ensure cords will last. Choose from 35, 50, and 95 foot options to fit your shop perfectly.

### ***Adjustable Arm***

Easily change the arm position to fit more applications. Works on walls, ceilings or bench mounts.

### ***Heavy-Duty Pedestal***

High-strength steel construction with rolled edges and ribbed stress points that won't flex or twist.

### ***Strong, Durable Spring***

Completely enclosed for longer life. Easy to access on the open side of the reel for quick service.

### ***Multiple Configurations Available***

Comes with or without receptacles so you can configure it for our specific needs. Light reels come in your choice of fluorescent or LED with optional tool tap receptacle.

ALL THESE  
FEATURES FOR  
**BETTER**  
PERFORMANCE



UL/CSA Approved

# Graco Fits Your Business

## Complete Line of Reels

SD Series™ Cord and Light Reels are built for long lasting performance you've come to expect from Graco products—a perfect complement to Graco's line of hose reels. Take the hassle out of having to deal with twisted and tangled cords, and turn to Graco for a single, trouble free solution.

## Features Galore

We offer a variety of configurations so you get exactly the right fit for the task at hand. Choose the durable SD Series fluorescent to shed light exactly where you need it or work faster with an SD Series LED light with tool tap to light up your work area with the convenience of connecting tools without leaving your work area.

Plus, Graco offers cord reels with single and duplex industrial receptacles to extend your reach while eliminating trip hazards.



## Compact Design

We made the footprint narrower than competitive reels by tucking the spring cassette inside the spool. The spring is completely enclosed to protect components from harmful elements—and is easier and safer to repair. You get a narrower reel with extended service life for a better value. Compare other reels to Graco's slim 4.7 inch profile—it's great for fitting into enclosures for a professional look. All Graco cord and light reels feature an exclusive slip ring design that promotes long life and durability.



## Why Buy Graco?

- Durable, heavy gauge steel frame won't flex or bend so your equipment is ready when you need it
- Strong spring has the capacity to take on more load than the competition and is easy to pull down and retract so you don't have to fight to get it to operate
- One source for your entire automotive or industrial reel bank so you get everything you want including expert help when you need it
- Meets UL355\*, CSA22.2 No. 21 and IP44 standards for general, commercial and industrial grade use
- Enclosed spring and components are protected from harmful elements for longer lasting operation
- Easy to install, maintain, and repair

\* Rated for light outdoor use

# SD Series™ Cord and Light Reels



## Fluorescent Light

Patented tough service lamp is impact resistant and virtually unbreakable.



## Fluorescent Light with Single Tool Tap

Easy grip handle comes with built-in tool tap.



## LED Light

Durable, energy efficient LED's provide superior lighting. Poly carbonate outer tube is scratch resistant to handle a rough environment. Features a flashlight end for seeing into small spaces.



## LED Light with In-Line Tool Tap

Convenient for connecting tools and accessories without leaving your work area.

## Ordering Information

All Graco cord and light reels have a metallic blue finish and are 120 volt with UL/CSA approved.

Part Number	Size	Accessory	AWG	Amp	Cord Length	Insulation	Approximate Weight (lbs.)
24M510	5	No Accessory Cord Only	16	13	50 ft (15 m)	SJTOW	27
24M511	10		16	10	95 ft (29 m)	SJTOW	46
24M512	5		12	20	50 ft (15 m)	SJ00W	32
24M513	10		12	18	95 ft (29 m)	SJ00W	51
24M517	5	Single Industrial Receptacle	16	13	35 ft (10 m)	SJTOW	26
24M518	5		16	13	50 ft (15 m)	SJTOW	28
24M521	5		12	20	35 ft (10 m)	SJ00W	28
24M522	5		12	20	50 ft (15 m)	SJ00W	32
24M524	10		12	18	95 ft (29 m)	SJ00W	52
24M525	5	Duplex GFCI Industrial Receptacle	12	20	50 ft (15 m)	SJ00W	34
24M526	10		12	18	95 ft (29 m)	SJ00W	54
24M527	5	Fluorescent Light	16	<1	35 ft (10 m)	SJTOW	27
24M528	5		16	<1	50 ft (15 m)	SJTOW	29
24M529	10		16	<1	95 ft (29 m)	SJTOW	47
24M530	5	Fluorescent Light with Single Tool Tap Plug	16	10	35 ft (10 m)	SJTOW	27
24M531	5		16	10	50 ft (15 m)	SJTOW	29
24M532	10		16	10	95 ft (29 m)	SJTOW	47
24M533	5	LED Light	16	<1	35 ft (10 m)	SJTOW	27
24M534	5		16	<1	50 ft (15 m)	SJTOW	29
24M535	10		16	<1	95 ft (29 m)	SJTOW	47
24M536	5	LED Light with In-line Tool Tap	16	13	35 ft (10 m)	SJTOW	27
24M537	5		16	13	50 ft (15 m)	SJTOW	29
24M538	10		16	10	95 ft (29 m)	SJTOW	47



20 amp model

## Single Industrial Receptacle

NEMA plug provides reliable performance in tough environments where accessories are continuously changed out. The 13 and 10 amp design features an over molded plug for increased durability.



## Duplex GFCI Industrial Receptacle

The duplex Industrial receptacle is protected by a weather tight enclosure, and relies on GFCI with open neutral protection to provide a safe working environment.

\*Satisfies all UL requirements for UL 943, section 6.7.2.1c.

# Accessories

## Ordering Information

Mounting Channel For Ceiling*	For use when mounting reels without an enclosure.	
	1 Reel	2 Reels
SD Series Size 5	24N674	24N675
SD Series Size 10**	24A934	24A935

\*Please refer to the manual for larger channels. \*\*Design is the same as SD Series size 10 hose reels.

Enclosed Reel Mounting Channel For Ceiling or Wall*	For use with enclosure kits only. Channels available to accommodate one to six reels.	
	1 Reel	2 Reels
Size 5 and 10	203521	203522

\*Please refer to the manual for larger channels.

Cord Reel Enclosure Kits	Enclosure kit for one reel provides protection to extend the life of reel, while giving your shop a professional look.					
	White	Metallic Blue	Red	Black	Dark Blue	Yellow
Size 5 Enclosure and spacer bracket	24N690	24N682	24N683	24N684	24N691	24N685
Size 10* Enclosure kit for one reel	24A217	24A940	24A941	24A942	24A943	24A944
End Panel Kits†	—	—	—	24A950	—	—

\*Same kit as Size 10 hose reels. †One panel kit needed per bank of reels.

Retrofit Mounting Brackets for SD Series Reels	
24P164	Size 5 spacer bracket only, for mounting in existing size 10 enclosure.
24P880	Size 5 spacer bracket only, for mounting in existing size 20 enclosure.
24P881	Size 10 spacer bracket only, for mounting in existing size 20 enclosure.
16N883	Clamping plate to mount size 5 reel to existing SD Series open channel.

Swivel Mount Bracket For Wall	
Allows reel to swivel 120° with two lockable positions	
24N814	SD Series size 5
24N444	SD Series size 10

Easy Slide-in Mount For Ceiling or Wall	
Allows you to slide the reel in and out for easy installation	
24N686	SD Series size 5
24H193	SD Series size 10

I-Beam Mounting Kit For Ceiling	
Secures mounting channel to I-beam without drilling	
204741	Fits SD Series size 5 and 10 reels. Two brackets are required for one to three reels.

Hands-free Magnetic Clip	
16P999	Magnetic clip with non-marring cover won't scratch vehicle finish. Snap onto light tube for hands-free operation. Spin the fixture to direct light where you need it.

Two reel channel (24N675 shown)



Channels available to accommodate one to six reels (24N682 shown)



Swivel wall bracket (24N814 shown)



Easy slide-in mount for ceiling or wall (24N686 shown)



Hands-free magnetic clip 16P999



## Dimensions


SD Series Size 5	
A	3.5 in (89 mm)
B	6.38 in (162 mm)
C	4.7 in (120 mm)
D	7.48 in (190 mm)
E†	14.8 in (376 mm)
F*	6.6 in (168 mm)
G**	13.84 in (352 mm)

SD Series Size 10	
A	3.5 in (89 mm)
B	7.5 in (191 mm)
C	4.7 in (120 mm)
D	9 in (229 mm)
E†	19.5 in (498 mm)
F*	7 in (177 mm)
G**	17.5 in (445 mm)

† Measurement taken from base to top of bolts.

\* Measurement taken from edge of spool to front of arm.

\*\* Measurement taken from end of wire-nut to top surface of cover.



## AMERICAS

### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88 -11th Avenue N.E.  
Minneapolis, MN 55413

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000 Fax: 612-623-6777

## EUROPE

### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700 Fax: 32 89 770 777

## ASIA PACIFIC

### AUSTRALIA

Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Building 7  
1029 Zhongshan Road South,  
Huangpu District  
Shanghai, 200011  
The People's Republic of China  
Tel: 86 21 649 50088 Fax: 86 21 649 50077

### INDIA

Graco Hong Kong Ltd.  
India Liaison Office  
Room 443, Augusta Point  
Regus Business Centre 53  
Golf Course Road  
Gurgaon, Haryana  
India 122001  
Tel: 91 124 435 4208 Fax: 91 124 435 4001

### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300 Fax: 81 45 593 7301

### KOREA

Graco Korea Inc.  
Shinhan Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-si, Korea 431-060  
Tel: 82 31 476 9400 Fax: 82 31 476 9801



# Graco's got you covered

Facilities Worldwide for Global Support



## Quality First

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your lubrication challenges.



## Global Reach

Graco has facilities across the globe to provide you with the products and service *you* need, where *you* live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.



## Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!

Call **800-533-9655** to speak with a Graco representative,  
or visit **[www.graco.com](http://www.graco.com)** for more information.

