



HELLIWELL
Equipment Services Inc.
A Graco Diamond Distributor



Air Driven Equipment for drum mounting applications



Order part numbers:

24F947 & 744048

*

*-Includes Micromatic SST Male connector



Description:

55 Gallon Drum Mount $\frac{3}{4}$ diaphragm Pump – 15 gpm (30 lpm)

Manual poly nozzle

2 ft (.6 m) inlet hose

12 ft (3.6 m) dispense hose

Drum mounting bracket

Nozzle bath container

Micromatic SST Male connector

Air controls (regulator)

Options :

Meter kit with pump mount fittings (24H293)

4 wheel X-style drum base (34041)

Air filter $\frac{1}{4}$ npt (110146)

Automatic SST dispensing nozzle with swivel upgrade (24F529)

Air Driven Equipment for tote or wall-mount applications



Order part numbers:

24F878 & 744048

*

*-Includes Micromatic SST Male connector



24F878 Shown with optional meter 24H293

Description:

1,000 liter Tote Mount $\frac{3}{4}$ diaphragm Pump – 15 gpm (30 lpm)

Stainless steel auto nozzle with swivel

6 ft (1.8 m) inlet hose

20 ft (6 m) dispense hose

Tote side mounting / wall mounting bracket

Nozzle bath container

Micromatic SST Male connector

Air controls (regulator)

Options:

Meter kit with pump mount fittings (24H293)

Air filter $\frac{1}{4}$ npt (110146)

Electric Equipment for 55 gallon drums

BENECOR

Order part numbers:

CBBSS20 & 744048

*-Includes Micromatic SST Male connector



Description:

55 Gallon Drum Mount Benecor 1/2 HP DEF Pump

Stainless Steel Pump & Nozzle

Voltage 115v/230v

Automatic Stainless Steel Nozzle with Swivel

Delivery Hose – Benecor DEF 20 ft

Suction Hose – 4 ft.

Micromatic SST Male connector

All Necessary Hose Hardware

Options :

Meter kit with nozzle mount fittings (FMA)

4 wheel X-style drum base (34041)

Electric Equipment for tote or wall-mount applications

BENECOR

Order part numbers:

CTBSS20 & 744048

*

*-Includes Micromatic SST Male connector



CTBSS20 Shown with optional meter FMA

Description:

1,000 liter Tote Mount Benecor 1/2 HP DEF Pump
Stainless Steel Pump & Nozzle for Tote or Wall Mount
Voltage 115v/230v
Automatic Stainless Steel Nozzle with Swivel
Delivery Hose – Benecor DEF 20 ft
Suction Hose – 4 ft.
Micromatic SST Male connector
All Necessary Hose Hardware

Options:

Meter kit with nozzle mount fittings (FMA)

Manual Equipment for closed 55 gallon drums



24G636-CF : Lever type hand pump for closed applications.
 Includes a micromatic SST connector

Transport is not included.